

# BarthHaas® IKE

## Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

**1.1 Product Identifier:** Isomerized Kettle Extract

**1.2 Synonyms:** IKE  
Pre-isomerized CO<sub>2</sub> Extract  
Isomerized Resin Extract (IRE)

**1.3 Relevant Uses:** Food processing aid

**1.4 Supplier:** BarthHaas / BarthHaas UK Ltd.

**1.5 Emergency Contact Details:** Hop Pocket Lane, Paddock Wood, Kent, TN12 6DQ, UK  
Emergency phone: +44 1892 833 415 (09:00 – 17:30 Mon-Thurs; 09:00 – 16:30 Fri, UK time)  
Email: [enquiries@barthhaas.co.uk](mailto:enquiries@barthhaas.co.uk)

**BarthHaas / John I. Haas, Inc.**  
1600 River Rd., Yakima, WA 98902, USA.  
Emergency phone: +1 509 469 4000 (office hours)  
Email: [info@johnihaas.com](mailto:info@johnihaas.com)

**Hopfenveredlung St. Johann GmbH**  
Address: Mainburger Str. 15, 93358 Train  
Emergency phone: +49 9444 878 -0 (office hours)  
Email: [contact@nateco2.de](mailto:contact@nateco2.de)

## 2. HAZARDS IDENTIFICATION

**2.1 Classification** According to Regulation (EC) 1272/2008 [CLP]:  
Skin Sensitisation Category 2  
Eye Irritation Category 2  
Skin Sensitisation Category 1

---

**2.2 Label Elements:** According to Regulation (EC) 1272/2008 [CLP]:

Hazard Pictogram:



Signal Word: **Warning**

Hazard Statements:

H315: Causes skin irritation  
H317: May cause an allergic skin reaction  
H319: Causes serious eye irritation

Precautionary Statements:

P280: Wear protective gloves and eye protection  
P302+P352: IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313: If skin irritation or rash occurs: Get medical ^ advice/attention.

---

**2.3 Other Hazards:** None

## 3. COMPONENTS/INFORMATION ON INGREDIENTS

The product is a mixture of isomerized hop (*Humulus lupulus* L.) bitter acids (viz. iso-alpha acids or isohumulones), hop resins and essential oils. The isomerized bitter acid content varies according to the original hop variety extracted, but typically the range will be 40-60% iso-alpha acids. The CAS no. for iso-alpha-acid/isohumulone is 25522-96-7 and the EINECS no. is 247-072-1).

#### 4. FIRST AID MEASURES

##### 4.1 Description of First Aid Methods:

symptoms

persist

induced.

**Inhalation:**

**Skin contact:**

**Eye contact:**

obtain medical attention.

**Oral ingestion:**

Move to fresh air

Wash skin thoroughly with soap and water. If any

persist obtain medical attention.

Flood the eye with plenty of water. If any symptoms

Rinse mouth out with water and drink a portion of water (ca. 200ml). Vomiting may occur but should not be

Obtain medical attention if symptoms persist.

##### 4.2 Most important Symptoms and Effects

Skin and eye irritation.

##### 4.3 Indications of Immediate Medical Attention or Special Treatment

Action as indicated in Section 4.1 above.

#### 5. FIRE AID MEASURES

##### 5.1 Extinguishing media:

Carbon dioxide, dry powder and foam

##### 5.2 Special Hazards Arising from Substance

Contains small amounts of hop oil. Hop oil is combustible and may give rise to hazardous fumes in a fire..

##### 5.3 Advice for Firefighters:

Fire fighters should wear self-contained positive pressure breathing apparatus

#### 6. ACCIDENTAL RELEASE MEASURES

##### 6.1 Personal Protection:

Wear appropriate protective clothing – see Section 8.

##### 6.2 Environmental Precautions:

Avoid sub-soil penetration. Prevent entry to sewers and public waters. Do not discharge onto the ground or into watercourses.

##### 6.3 Methods for Cleaning Up:

Contain spillage using earth, sand or other inert material. Transfer to suitable sealed container prior to disposal. Flush area with hot soapy water to remove final traces. Use adequate ventilation or a respirator if in a confined area.

#### 7. HANDLING AND STORAGE

##### 7.1 Precautions for Safe Handling:

Avoid excessive contact with product. Use appropriate protective clothing as indicated in Section 8. Wash hands after use.

##### 7.2 Conditions for Safe Storage:

Store at 15 – 25 °C (59 – 77 °F). Keep container closed when not in use. Use opened containers as soon as possible. Suitable storage is in glass, high density polyethylene, and high phenolic lacquered mild steel.

##### 7.3 Specific End Uses:

The substance is manufactured for use as a food ingredient and for such uses is not subject to registration via REACH (Regulation (EC) No.1907/2006). It should be used in accordance with applicable food legislation.



## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**8.1 Control Parameters:** Not applicable.

**8.2 Exposure Controls**

<u>Engineering Controls:</u>	Provide adequate ventilation.
<u>Eye/Face Protection:</u>	Chemical goggles must be worn during handling.
<u>Hand Protection:</u>	PVC, rubber, latex or nitrile gloves.
<u>Skin Protection:</u>	If danger of splashing wear PVC or rubber apron.
<u>Respiratory Protection:</u>	Not normally required.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Viscous liquid, yellow/orange to brown/green

**Odour:** Characteristic, resinous aroma

**Odour Threshold:** No data available

**pH:** No data available

**Freezing Point:** No data available

**Boiling Point:** >100 °C

**Flash Point:** >60 °C

**Evaporation Rate:** No data available

**Flammability:** No data available

**Upper/Lower Flammability:** No data available

**Vapour Pressure:** No data available

**Vapour Density:** No data available

**Density (kg/m³)** 850 - 1000

**Solubility in Water:** Insoluble; forms an emulsion

**Partition Coefficient:** No data available

**Auto-ignition Temperature:** No data available

**Decomposition Temperature** No data available

**Viscosity:** No data available

**Explosive properties:** No data available

**Oxidising properties:** No data available

**10. STABILITY AND REACTIVITY**

<b>10.1 Reactivity:</b>	No reactivity hazards known
<b>10.2 Chemical Stability:</b>	Stable if stored in accordance with 7.2 and 10.5
<b>10.3 Possibility of Hazardous Reactions:</b>	None known
<b>10.4 Conditions to Avoid:</b>	Keep container closed when not in use
<b>10.5 Incompatible Materials:</b>	Unlined steel - Aluminum
<b>10.6 Hazardous Decomposition Products:</b>	None known

**11. TOXICOLOGICAL INFORMATION**

No data available. Read-across from the starting material Hop extract (CAS 8060-28-4 EINECS N°. 232-504-3) is appropriate since IKE is Hop extract with  $\alpha$ -acids isomerised to iso- $\alpha$ -acids. Toxicological assessment of Hop extract indicates that the toxicity of  $\alpha$ -acids and iso- $\alpha$ -acids are similar. The data below is for Hop extract: Long history of safe use as a beer ingredient.

<b>11.1 Acute Toxicity:</b>  A acids)	Typical hop extracts are not classified as hazardous. Estimated ATE values (oral, dermal)  are >2000 mg/kg bw. Beta-acid enriched hop extracts containing 30 – 70% $\beta$ -acids could potentially have an TE value of 1,000 – 2,300 mg per kg bw. This would place certain extracts (>35% $\beta$ -  under Category 4 for Acute Toxicity according to Regulation (EC) 1272/2008
<b>11.2 Skin Corrosion/ Irritation</b>	Skin Irritation Category 2.
<b>11.3 Serious Eye Damage/ Irritation:</b>	Eye Irritation Category 2.
<b>11.4 Respiratory or Skin Sensitisation:</b>	Skin Irritation Category 1.
<b>11.5 Germ Cell Mutagenicity:</b>	OECD Guideline 471 (Bacterial Reverse Mutation Assay) not mutagenic. Bacterial reverse Mutations Assay on 40% beta-acids: not mutagenic
<b>11.6 Carcinogenicity:</b>	Long history of safe use as a component of beer. Bacterial reverse mutation assay: not mutagenic
<b>11.7 Reproductive Toxicity:</b> in	Weight of evidence indicates lack of reproductive toxicity. Long history of safe use as a component of beer. Hop extracts are generally recognised as safe (GRAS)  accordance with US FDA regulation 21 CFR 182.20.
<b>11.8 STOT-Single Exposure:</b>	Weight of evidence indicates safety when used for its intended use - see (11.7) above.
<b>11.9 STOT-Repeated Exposure:</b>	Weight of evidence indicates safety when used for its intended use - see (11.7) above.

**11.10 Aspiration Hazard:** Not an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

**12.1 Toxicity:** No data available. Read-across from the starting material Hop extract (CAS 8060-28-4 EINECS N°. 232-504-3) is appropriate since IKE is Hop extract with  $\alpha$ -acids isomerised to iso- $\alpha$ -acids. Ecotoxicological assessment of Hop extract and of the potassium salts of iso- $\alpha$ -acids did not conclude that either of these substances should be classified as hazardous to the environment. The data below is for Hop extract:

Toxicity to fish: *Carassius auratus* (goldfish) - Etude pharmacologique de l'action du lupulin et de la fleur d'organer sur le poisson. *Pharmaceutica acta Helvetiae* (1953) **28**(7-8), pp.183-206: lowest dose causing adverse effects estimated by calculation as ca. 80 mg/l.

Toxicity to Daphnia and other aquatic invertebrates:

EC50 - *Daphnia magna* (Water flea) - >5.8 mg/l - 48 h.

NOEC - *Daphnia magna* - ca. 2.2 mg/l - 48 h.

Toxicity to freshwater algae:

EC50 - 42.7 mg/l - 48 h.

NOEC - 12.5 mg/l - 72 h.

<b>12.2 Persistence and Degradability:</b>	Ultimate biodegradation (natural product).
--	--

<b>12.3 Bioaccumulative Potential:</b>	Natural product, not expected to bioaccumulate.
--	---

<b>12.4 Mobility in Soil:</b>	Log $K_{oc}$ 1.7 - <4.5 (modelling by EPISuite™) Other information: low hazardous to water Water contaminant class 1 (self assessment) according to VwVwS from May 17 <sup>th</sup> 1999 appendix 3. Do not discharge onto the ground or into watercourses.
-------------------------------	---

<b>12.5 Results of PBT Exposure: And vPvB Assessment:</b>	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
---	--

<b>12.6 Other adverse effects: Exposure:</b>	No data
--	---------

## 13. DISPOSAL CONSIDERATIONS

<b>Product disposal:</b>	Dispose in accordance with all applicable local and national regulations.
--------------------------	---

<b>Container disposal:</b>	Labels should not be removed from containers until they have been cleaned. Contaminated containers should not be treated as household waste. Containers should be cleaned using appropriate methods and then re-used or disposed of by landfill or incineration as appropriate.
----------------------------	--

## 14. TRANSPORT INFORMATION

<b>14.1 UN-Number:</b>	Non-hazardous for transport.
------------------------	------------------------------

<b>14.2 Shipping Name:</b>	N/A
----------------------------	-----

<b>14.3 Transport Hazard Class:</b>	Non-hazardous for transport.
-------------------------------------	------------------------------

<b>14.4 Packing group</b>	Non-hazardous for transport.
---------------------------	------------------------------

<b>14.5 Marine pollutant:</b>	No data available
-------------------------------	-------------------

## 15. REGULATORY INFORMATION

### 15.1 Safety, Health and Environmental Regulations:

For food use.  
Germany: Water contaminant class 1 (self assessment) according to VwVwS from May 17<sup>th</sup> 1999 appendix 3. Do not discharge onto the ground or into watercourses.

### 15.2 Chemical Safety Assessment:

N/A – for food use.

## 16. OTHER INFORMATIONS

The information in this safety data sheet is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on our present knowledge and should be used only as a supplement to information already in your possession concerning this product. It does not represent any guarantee of the properties of the product. The determination of whether and under what condition the product should be used is yours to make. We do not accept any liability for loss, injury or damage that may result from its use.

(a) Key literature references and sources for data:

- REACH registration dossier for EC 232-504-3 and for EC 305-203-0